



**GROUP 615** **FIX-IT KITS**



Page ..... **556-559**

**GROUP 635** **WOOD SCREWS**



Page ..... **560**

**GROUP 650** **DOWEL PINS**




Page ..... **561**

**GROUP 651** **EXTRACTOR DOWELS**



Page ..... **561**

**GROUP 670** **SCREWED STUDDING**



Pages ..... **561**

# Section 6 Contents

# 6

<i>Description</i>	<i>Group</i>	<i>Page</i>
Dowel Pins .....	650 .....	561
Extractor Dowels .....	651 .....	561
Fix-It Kits .....	615 .....	556 - 559
Screwed Studding .....	670 .....	561
Woodscrews .....	635 .....	560

## Fasteners

**Section 6**  
**Product Groups**  
**615 - 670**



**KENNEDY** Fix-it  
QUALITY INDUSTRIAL TOOLING Kits

**Nuts & Bolts  
MS XOX**

**Contents:**  
M6 x 20, M6 x 40, M6 x 45, M8 x 25, M8 x 30, M8 x 35 and  
M8 x 50mm.



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Metric	168	1.7kg	<b>-4030K</b>

**Metric Setscrews, Nuts and Washers - BZP**

**Setscrews:**  
M6 x 25, M6 x 40, M8 x 25, M8 x 40, M10 x 25 and M10 x 40.

**Nuts:**  
M6, M8 and M10.

**Washers:**  
M6, M8 and M10.



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Metric	321	2.2kg	<b>-4110K</b>

**Circlips Internal & External**

**Contents:**  
**Internal:** 14, 16, 19, 22, 24 and 25mm.

**External:**  
12, 14, 16, 19, 22, 24 and 25mm.




Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Circlips	540	0.6kg	<b>-4470K</b>

**Grease Nipples**

**Contents: Straight**  
1/4" BSP, 1/8" BSP, M8 x 1.25 and 1/4" BSF.

**45°**  
M8 x 1.25 and M10 x 1.50.

**60°**  
1/4" BSF.



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Grease Nipples	134	1.7kg	<b>-6510K</b>

**Washers**

**Flat Metric BZP**

**Contents:**  
M5, M6, M8, M10 and M12.

**Square Section Spring Met BZP**

**Contents:**  
M5, M6, M8, M10 and M12.

**Copper Metric**

**Contents:**  
M4, M5, M6,  
M8, M10 and  
M12.



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Plain	744	1.0kg	<b>-4230K</b>
Spring	1035	1.0kg	<b>-4250K</b>
Copper	486	1.0kg	<b>-4690K</b>

**Cotter Pins Large Sizes**

**Contents:**  
1/8" x 1 1/2", 1/8" x 2 1/4, 9/64 x 2 1/4",  
5/32" x 1 1/2", 5/32" x 2 1/2", 3/16" x 1 1/2", 3/16" x 2", 1/4" x 2".  
1/16" x 3/4", 1", 5/64" x 3/4", 1", 3/32" x 3/4", 1",  
7/64" x 5/8", 1", 1/8" x 5/8", 1", 5/32" x 1/2", 1",  
1/16" x 1 1/4", 1 1/2", 5/64" x 1 1/4", 1 1/2",  
3/32" x 1 1/4", 1 1/2", 7/64" x 1 1/4", 1 1/2",  
1/8" x 1", 1 1/2" and 5/32" x 1", 1 1/2".



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Large	385	1.7kg	<b>-4420K</b>
Small	1360	1.7kg	<b>-4430K</b>

**KENNEDY** Fix-it  
QUALITY INDUSTRIAL TOOLING® Kits

**Nails**  
**Round & Oval**

**Round Nails Contents:**  
1", 1½", 2" and 2½".

**Oval Nails Contents:**  
1", 1½",  
2" and  
2½".



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Wood	500	1.7kg	<b>-4340K</b>

**Woodruff Keys**

½" x 13/64" x 1/16", ½" x 13/64" x 3/32", ½" x 13/64" x 1/8",  
5/8" x 1/4" x 3/32", 5/8" x 1/4" x 1/8", 5/8" x 1/4" x 5/32",  
5/8" x 1/4" x 3/16", 3/4" x 5/16" x 1/8", 3/4" x 5/16" x 5/32",  
3/4" x 5/16" x 3/16", 3/4" x 5/16" x 1/4", 7/8" x 3/8" x 5/32",  
7/8" x 3/8" x 3/16", 7/8" x 3/8" x 7/32" and 7/8" x 3/8" x 1/4".



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Woodruff Keys	155	1.2kg	<b>-4540K</b>

**Spire Clips - U & J**

**Contents:**  
U No.6, U No.8,  
U No.10, U No.12, and U No.14.  
J No.6, J No.8,  
J No.10, J No.12 and J No.14.



Type	Weight each	Order Code <b>KEN-615</b>
Panel Clips	1.0kg	<b>-4480K</b>

**Grommets - Blanking**

**Contents:**  
5/16", 3/8", 1/2",  
5/8", 3/4", 7/8",  
15/16" and 1".



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Grommets	85	0.5kg	<b>-4560K</b>

**Terminals - Rings/Forks**  
**Red/Blue/Yellow**

**Contents:**  
Red ring 4BA, 2BA and 1/4"; blue ring 2BA,  
1/4" and 5/16"; yellow ring 1/4", 5/16" and 3/8";  
Spade: blue, red and yellow.



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Terminals	240	0.45kg	<b>-4460K</b>

**Self-Tapping Screws**

**Slotted Zinc Plated Countersunk**


**Contents:**  
No.4 x 1/4", No.4 x 5/8", No.4 x 3/4", No.6 x 1/2", No.6 x 3/4", No.6 x 1", No.8 x 1/2", No.8 x 3/4", No.8 x 1", No.10 x 1/2", No.10 x 3/4" and No.10 x 1".

**Slotted Zinc Plated Pan Head**

No.4 x 1/2", No.4 x 3/4", No.6 x 1/2", No.6 x 3/4", No.8 x 1/2", No.8 x 3/4", No.10 x 1/2", No.10 x 3/4" and No.10 x 1".

**Pozi Zinc Plated Pan Head**

No.4 x 1/2",  
No.6 x 1/2",  
No.8 x 1/2",  
No.10 x 1/2",  
No.12 x 1/2",  
No.4 x 3/4",  
No.6 x 3/4",  
No.8 x 3/4",  
No.10 x 3/4",  
No.12 x 3/4",  
No.6 x 1",  
No.8 x 1"  
and  
No.10 x 1".



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Countersunk	975	1.6kg	<b>-4050K</b>
Pan Head (s)	975	1.6kg	<b>-4060K</b>
Pan Head (p)	975	1.6kg	<b>-4600K</b>

**KENNEDY** Fix-it Kits  
QUALITY INDUSTRIAL TOOLING

**Terminals - Spades/Bullets/Red/Blue/Yellow**

**Contents:**

Red bullet, blue bullet, red butt, blue butt, yellow butt, red bullet receptacle, blue bullet receptacle, red female push-on, blue female push-on and yellow female push-on.



Type	Average Quantity	Weight each	Order Code	
Connectors	240	0.45kg	<b>KEN-615</b> <b>-4670K</b>	

**Spring Dowel Pins - Metric**

**Contents:**

2.5 x 24, 2.5 x 40, 3 x 24, 3 x 40, 4 x 24, 4 x 40, 5 x 24, 5 x 40, 6 x 24, 6 x 40 and 8 x 55mm.



Type	Average Quantity	Weight each	Order Code	
Roll Pins	270	0.8kg	<b>KEN-615</b> <b>-4500K</b>	

**Cable Ties**

**Contents:**

**Long:** 155 x 2.5, 180 x 4.8, 200 x 2.5 and 200 x 4.8mm.



Type	Average Quantity	Weight each	Order Code	
Long	200	0.40kg	<b>KEN-615</b> <b>-4660K</b>	

**Auto Fuses**

**Contents:**

**Blade type**

3A, 5A, 7.5A, 10A, 15A, 20A, 25A and 30A.



Type	Average Quantity	Weight each	Order Code	
Auto Fuses	96	0.65kg	<b>KEN-615</b> <b>-6580K</b>	

**Socket Head Cap Screws**

**Metric Kit Contents:**

M5 x 16, M5 x 20, M6 x 20, M6 x 25, M8 x 25, M8 x 30, M10 x 25, M10 x 30, M12 x 20, M12 x 25 M12 x 30mm.




Type	Average Quantity	Weight each	Order Code	
Metric	100	1.15kg	<b>KEN-615</b> <b>-4630K</b>	

**Retaining Clips**

**Contents: (D x L)**

5-7 x 1.2, 7-9 x 1.2, 9-11 x 2, 14-16 x 3, 14-18 x 4mm.



Type	Average Quantity	Weight each	Order Code	
Retaining Clips	75	0.40kg	<b>KEN-615</b> <b>-4800K</b>	

**KENNEDY** Fix-it  
QUALITY INDUSTRIAL TOOLING Kits

**Wall Plugs**

**Contents:**  
Yellow, Red,  
Brown & Blue



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Wall Plugs	220	0.35kg	<b>-4740K</b>

**Countersunk Wood Screws**

**Contents:**  
**Slotted Zinc Plated**

1/2 x 4, 3/4 x 4,  
3/4 x 6, 1 x 6,  
1/2 x 8, 3/4 x 8,  
1 x 10,  
1 1/2 x 10mm.

**Slotted Brass**

4 x 18, 6 x 18,  
6 x 25, 7 x 25,  
8 x 18, 8 x 25,  
8 x 38, 10 x 38mm.

**Pozidriv®**  
**Zinc Plated**

1/2 x 4, 3/4 x 4,  
3/4 x 6, 1 x 6,  
1/2 x 8, 3/4 x 8,  
1 x 10, 1 1/2 x 10mm.



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Zinc Slotted	350	0.60kg	<b>-4360K</b>
Pozidriv®	350	1.30kg	<b>-4370K</b>

**Machine Screws & Nuts**

**Contents:**  
**Steel**

M3 x 12,  
M3 x 16,  
M3 x 20,  
M3.5 x 10,  
M3.5 x 12,  
M3.5 x 16,  
M4 x 8,  
M4 x 10,  
M4 x 12, M4 x 16,  
M4 x 20, M4 x 25,  
M5 x 10, M5 x 12,  
M5 x 16, M5 x 20,  
M6 x 10, M6 x 12,  
M6 x 16, M6 x 20  
and M6 x 25.



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Steel	600	1.15kg	<b>-4290K</b>

**Compression & Expansion Springs**

**Contents:**

Wire Dia. (mm)	Outside Dia. (mm)	Overall Length (mm)
<b>Expansion</b>		
0.70	6.29	31.5
0.50	4.70	40.0
0.60	6.29	51.5
0.60	6.29	64.5
0.60	4.70	58.0
0.80	9.80	70.0
<b>Compression</b>		
0.70	8.90	50.0
0.50	6.00	25.0
1.00	8.90	50.0
1.00	8.90	25.0
0.50	6.00	50.0
1.00	7.40	50.0

Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Springs	140	0.55kg	<b>-6590K</b>

**Metric 'O' Rings**

**Contents:**  
M6, M10, M11, M14, M17, M21, M24, M25.



Type	Ave. Qty.	Weight each	Order Code <b>KEN-615</b>
Metric 'O' Rings	400	0.30kg	<b>-4900K</b>

**Mudguard Washers**

**Contents:**  
M5, M6,  
M8, M10mm



Type	Ave. Qty.	Weight each	Order Code <b>KEN-615</b>
Mudguard Washers	220	1.45kg	<b>-4270K</b>

**Clevis Pins**

**Contents:**  
3/16 x 3/4, 3/16 x 1,  
1/4 x 3/4, 1/4 x 1,  
1/4 x 1 1/4, 1/4 x 1 1/2,  
5/16 x 3/4, 5/16 x 1,  
5/16 x 1 1/4,  
5/16 x 1 1/2,  
3/8 x 3/4, 3/8 x 1,  
3/8 x 1 1/2.



Type	Average Quantity	Weight each	Order Code <b>KEN-615</b>
Clevis Pins	170	1.25kg	<b>-4490K</b>



**MATLOCK** Wood Screws

For power driving into hard and soft wood, MDF and chipboard. Manufactured to reduce wood split. Heat-treated for high resistance to breakage.



**Gold-ZP™ Fibre Board Woodscrews - Pozidriv®**  
With an aggressive clean cutting single thread drives easily — even in MDF and chipboard. Passivated zinc plated and lubricated to aid penetration. 25° point angle usually needs no pilot hole.

Size (mm)	Box Qty	Order Code MTL-635
3.0 x 12	200	-1020K
3.0 x 25	200	-1040K
3.5 x 16	200	-1080K
3.5 x 25	200	-1100K
3.5 x 40	200	-1120K
4.0 x 25	200	-1160K
4.0 x 40	200	-1180K
4.0 x 50	200	-1200K
4.5 x 25	200	-1240K
4.5 x 40	200	-1260K
5.0 x 30	200	-1300K
5.0 x 40	200	-1320K
5.0 x 70	100	-1360K
5.0 x 80	100	-1380K
6.0 x 80	100	-1420K
6.0 x 100	100	-1440K

**Silver-TT™ Twin Thread Woodscrews - Pozidriv®**  
High helix double thread, 'drives home' in half the time of standard screws. Plated to five microns for greater corrosion-resistance. 35° point angle usually needs no pilot hole.

Size (mm)	Box Qty	Order Code MTL-635
6.0 x 1/2"	200	-6000K
6.0 x 5/8"	200	-6010K
6.0 x 3/4"	200	-6020K
6.0 x 1"	200	-6040K
6.0 x 1 1/4"	200	-6060K
6.0 x 1 1/2"	200	-6080K
6.0 x 1 3/4"	200	-6082K
6.0 x 2"	200	-6084K
7.0 x 3/4"	200	-6088K
7.0 x 1"	200	-6090K
7.0 x 1 1/2"	200	-6092K
8.0 x 1/2"	200	-6096K
8.0 x 5/8"	200	-6098K
8.0 x 3/4"	200	-6100K
8.0 x 1"	200	-6120K
8.0 x 1 1/4"	200	-6140K
8.0 x 1 1/2"	200	-6160K
8.0 x 1 3/4"	200	-6170K
8.0 x 2"	200	-6180K
8.0 x 2 1/4"	200	-6182K
8.0 x 2 1/2"	200	-6184K
8.0 x 3"	200	-6188K
10.0 x 3/4"	200	-6198K
10.0 x 1"	200	-6200K
10.0 x 1 1/4"	200	-6220K
10.0 x 1 1/2"	200	-6240K
10.0 x 1 3/4"	200	-6250K
10.0 x 2"	200	-6260K
10.0 x 2 1/2"	100	-6280K
10.0 x 3"	100	-6300K
10.0 x 3 1/2"	100	-6310K
10.0 x 4"	100	-6320K
12.0 x 1"	100	-6330K
12.0 x 1 1/4"	100	-6340K
12.0 x 1 1/2"	100	-6350K
12.0 x 1 3/4"	100	-6360K
12.0 x 2"	100	-6370K
12.0 x 2 1/4"	100	-6380K
12.0 x 2 1/2"	100	-6390K
12.0 x 3"	100	-6400K
12.0 x 4"	100	-6420K

**KENNEDY** Wood Screws

Manufactured from hardened steel and are bright zinc plated. Boxed quantity 200 except 3 1/2" and 4" where boxed quantity is 100. Available with slotted or Pozidriv® heads.

**Slotted**

Size	Weight per 200	Order Code KEN-635
No.4 x 1/2"	102g	-4120K
No.4 x 5/8"	126g	-4130K
No.4 x 3/4"	144g	-4140K
No.4 x 1"	190g	-4160K

**KENNEDY** Wood Screws

Slotted Continued

Size	Weight per 200	Order Code KEN-635
No.6 x 1/2"	170g	-4340K
No.6 x 5/8"	208g	-4350K
No.6 x 3/4"	238g	-4360K
No.6 x 1"	318g	-4390K
No.6 x 1 1/4"	390g	-4410K
No.6 x 1 1/2"	466g	-4430K
No.6 x 2"	542g	-4470K
No.7 x 5/8"	290g	-4540K
No.7 x 3/4"	380g	-4550K
No.7 x 1"	552g	-4570K
No.7 x 1 1/2"	552g	-4610K
No.8 x 1/2"	254g	-4680K
No.8 x 3/4"	364g	-4700K
No.8 x 1"	470g	-4720K
No.8 x 1 1/4"	576g	-4740K
No.8 x 1 1/2"	682g	-4760K
No.8 x 1 3/4"	788g	-4780K
No.8 x 2"	894g	-4800K
No.8 x 2 1/4"	998g	-4820K
No.8 x 2 1/2"	1110g	-4840K
No.8 x 3"	1316g	-4880K
No.10 x 3/4"	508g	-4950K
No.10 x 1"	648g	-4970K
No.10 x 1 1/4"	792g	-4990K
No.10 x 1 1/2"	938g	-5010K
No.10 x 1 3/4"	1070g	-5030K
No.10 x 2"	1216g	-5050K
No.10 x 2 1/4"	1310g	-5070K
No.10 x 2 1/2"	1520g	-5090K
No.10 x 3"	1800g	-5130K
No.10 x 3 1/2"	2100g	-5170K
No.10 x 4"		-5210K
No.12 x 3/4"		-5260K
No.12 x 1"	846g	-5280K
No.12 x 1 1/4"	1038g	-5300K
No.12 x 1 1/2"	1210g	-5320K
No.12 x 1 3/4"	1398g	-5340K
No.12 x 2"	1614g	-5360K
No.12 x 2 1/4"	1780g	-5380K
No.12 x 2 1/2"	1972g	-5400K
No.12 x 3"	2320g	-5440K
No.12 x 4"	3080g	-5520K
No.14 x 1"		-5600K
No.14 x 2"		-5620K
No.14 x 2"		-5640K
No.14 x 3"	3780g	-5660K
No.16 x 6"		-5820K

**Pozidriv®**

Size	Weight per 200	Order Code KEN-635
No.3 x 1/2"	82g	-2030K
No.4 x 3/8"	40g	-2100K
No.4 x 1/2"	102g	-2120K
No.4 x 5/8"	126g	-2130K
No.4 x 3/4"	144g	-2140K
No.4 x 1"	190g	-2160K
No.5 x 1/2"	136g	-2230K
No.5 x 5/8"	162g	-2240K
No.5 x 3/4"	206g	-2250K
No.5 x 1"	252g	-2270K
No.6 x 1/2"	170g	-2340K
No.6 x 5/8"	208g	-2350K
No.6 x 3/4"	238g	-2360K
No.6 x 7/8"	276g	-2370K
No.6 x 1"	318g	-2390K
No.6 x 1 1/4"	390g	-2410K
No.6 x 1 3/4"	542g	-2450K
No.6 x 1 1/2"	559g	-2430K
No.6 x 2"	616g	-2470K
No.7 x 5/8"	248g	-2540K
No.7 x 3/4"	192g	-2550K
No.7 x 1"	360g	-2570K
No.7 x 1 1/4"	464g	-2590K
No.7 x 1 1/2"	552g	-2610K
No.8 x 1/2"	254g	-2680K
No.8 x 5/8"	308g	-2690K
No.8 x 3/4"	364g	-2700K
No.8 x 7/8"	416g	-2710K
No.8 x 1"	470g	-2720K
No.8 x 1 1/4"	520g	-2740K
No.8 x 1 1/2"	682g	-2760K
No.8 x 1 3/4"	788g	-2780K
No.8 x 2"	894g	-2800K
No.8 x 2 1/4"	998g	-2820K
No.8 x 2 1/2"	1112g	-2840K
No.8 x 3"	1316g	-2880K
No.10 x 3/4"	510g	-2950K
No.10 x 1"	648g	-2970K
No.10 x 1 1/4"	845g	-2990K
No.10 x 1 1/2"	940g	-3010K
No.10 x 1 3/4"	1072g	-3030K
No.10 x 2"	1218g	-3050K
No.10 x 2 1/4"	1374g	-3070K
No.10 x 2 1/2"	1522g	-3090K
No.10 x 3"	1800g	-3130K
No.10 x 3 1/2"	2100g	-3170K
No.10 x 4"	2380g	-3210K
No.12 x 1"	846g	-3280K
No.12 x 1 1/4"	1038g	-3300K

**KENNEDY** Wood Screws

Pozidriv® Continued

Size	Weight per 200	Order Code KEN-635
No.12 x 1 1/2"	1210g	-3320K
No.12 x 1 3/4"	1398g	-3340K
No.12 x 2"	1614g	-3360K
No.12 x 2 1/4"	1780g	-3380K
No.12 x 2 1/2"	1972g	-3400K
No.12 x 3"	2320g	-3440K
No.12 x 3 1/2"	2720g	-3480K
No.12 x 4"	3080g	-3520K

**Self Tapping Screws**

Pozidriv® Pan Type. AB Zinc plated.

Size	Weight per 1000	Order Code CTL-636
4 x 1/2"	580g	-1104C
6 x 1/4"	590g	-1106A
6 x 3/8"	760g	-1106B
6 x 1/2"	930g	-1106C
6 x 5/8"	1.10kg	-1106E
6 x 3/4"	1.27kg	-1106G
6 x 1"	1.61kg	-1106J
6 x 1 1/2"	2.30kg	-1106N
8 x 1/2"	1.44kg	-1108C
8 x 5/8"	1.69kg	-1108E
8 x 3/4"	1.95kg	-1108G
8 x 1"	2.45kg	-1108J
8 x 1 1/4"	3.05kg	-1108L
10 x 1/2"	2.11kg	-1110C
10 x 3/4"	2.76kg	-1110G
10 x 1"	3.41kg	-1110J
10 x 1 1/2"	4.71kg	-1110N
10 x 2"	6.01kg	-1111P
12 x 3/4"	3.91kg	-1112E
12 x 1"	4.79kg	-1112J
12 x 1 1/2"	6.55kg	-1112N
14 x 1"	7.16kg	-1120J

**Slotted** Countersunk, self tapping steel screws. AB.

Size	Weight per 1000	Order Code CTL-636
No.4 x 3/16"		-0200A
No.4 x 1/4"		-0201B
No.4 x 3/8"		-0202C
No.4 x 3/4"		-0203D
No.6 x 3/8"	640g	-0220G
No.10 x 3/4"	2.31kg	-0240H
No.10 x 1 1/2"	4.27kg	-0242K

**Pozidriv®** Raised countersunk, self tapping steel screws. AB Zinc plated.

Size	Weight per 1000	Order Code CTL-636
6 x 3/4"	1.27kg	-0506G
6 x 1"	1.61kg	-0506J
6 x 1 1/4"	1.95kg	-0506L
6 x 1 1/2"	2.30kg	-0506N
8 x 3/4"	1.95kg	-0508G
8 x 1"	2.45kg	-0508J
8 x 1 1/4"	2.96kg	-0508L
8 x 1 1/2"	3.47kg	-0508N
10 x 3/4"	2.62kg	-0510G
10 x 1"	3.27kg	-0510J
10 x 1 1/4"		-0510L
10 x 1 1/2"	6.00kg	-0510N

**Pozidriv®** Self tapping steel screws, recessed type. AB Zinc plated.

Size	Weight per 1000	Order Code CTL-636
4 x 3/8"	500g	-1004B
4 x 1/2"	610g	-1004C
4 x 5/8"	720g	-1004E
4 x 3/4"	840g	-1004G
4 x 1"	1.06kg	-1004J
6 x 1/2"	1.00kg	-1006C
6 x 3/4"	1.35kg	-1006G
6 x 1"	1.68kg	-1006J
6 x 1 1/4"	2.02kg	-1006L
6 x 1 1/2"	2.36kg	-1006N
8 x 1/2"	1.53kg	-1008C
8 x 3/4"	2.04kg	-1008G
8 x 1"	2.55kg	-1008J
8 x 1 1/4"	3.05kg	-1008L
8 x 1 1/2"	3.56kg	-1008N
10 x 1/2"	2.11kg	-1010C
10 x 3/4"	2.76kg	-1010G
10 x 1"	3.41kg	-1010J
10 x 1 1/4"	4.06kg	-1010L
10 x 1 1/2"	4.71kg	-1010N

